


13A Series Differential Pressure Transmitter



Dimensional Print

FOR TRANSMITTER WITH OPTIONAL MANIFOLD-MOUNT BYPASS MANIFOLD, SEE PAGE 2.




WITH FIXED-PRESSURE REGULATOR

WITH ADJUSTABLE REGULATOR



- PROCESS CONNECTION TAPPED FOR
- 1/4 NPT,
 - 1/2 NPT,
 - R 1/4,
 - R 1/2,
 - BODY TAPPED FOR 1/4 NPT OR
 - BODY MACHINED TO ACCEPT 9/16-18 AMINCO FITTING OR
 - CONNECTION PREPARED FOR WELDING NECK FOR 14 x 21 mm TUBE AND 1/2 SCHEDULE 80 PIPE




DP 022-310-AS

03.25.21

www.AutomationService.com

Transmitter With Optional Manifold-Mount Bypass Manifold



NOTES:

1. FOR TRANSMITTER DIMENSIONS, SEE PAGE 1.
2. FOR DIMENSIONS OF BYPASS MANIFOLD, REFER TO THE APPLICABLE DIMENSIONAL PRINT:
 WITH BOLT-ON PROCESS CONNECTIONS: DO 022-137
 WITH INTERGAL NPT PROCESS CONNECTIONS: DP 022-136
3. IF CENTER VALVE FACES UP, PIPE CAN BE LOCATED ON INSIDE OF BRACKET.

